Duet 67" Cast Iron Double Roll Top Tub with Base

Cat. No.





L: 66"

W: 31-1/8"

H: 25-1/4" (from floor to top of tub)

 $17-\frac{3}{4}$ " (from bottom of tub to top)

Water depth: 14-1/8" to overflow

The following is recommended for CTDRHB tubs with deck holes:

- •Rim-mounted faucet: part #4601 or 4201
- Straight bath supplies: part #5577
- •Leg tub drain: part #5599

Note

To prevent the accumulation of standing water under your tub base we recommend using a bead of silicone between the base and the floor.


Gallon Capacity: 55
Shipping Weight: 570 lbs.
Empty Weight: 350 lbs.
Filled Weight: 809 lbs.


Features:

- ► Inside finish is white enamel
- ► Tub exterior is white
- ▶7" centers in tub deck in center of long side
- ► Pre-drilled overflow
- ▶ Tub and base combination ships in one pallet
- ► Cutout in base for waste and overflow



Custom Colors Available (inside of tub is always white enamel): Painted bathtubs are considered "special order" and are not returnable \$160 Bisque or Black \$250 Designer Color







Dimensions and specifications subject to change without notice.

TUB RIM MOUNT FILLER WITH HANDSHOWER

Cat. No. 4601





Features:


- ► Brass construction
- ► Elephant spout length is 5-3/4"
- ► Flow rate is 3.7 GPM
- ► Available with porcelain lever (4601- PL) or metal cross lever handles (4601-MC)
- ► Telephone handshower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- ▶6" Elbow mounts included
- ▶7" Centers for deck mounting on acrylic or cast iron tubs
- ► ¼ Turn ceramic disc cartridges
- ► To be used with straight bath supplies, Part #5577


Finishes:

BP Polished Brass Polished Chrome CP **Brushed Nickel**

PN Polished Nickel **ORB** Oil Rubbed Bronze







Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

TUB RIM MOUNT FILLER WITH HANDSHOWER


Cat. No. 4603







6" Elbow Mounts



Features:

- ▶ Brass construction
- ► Elephant spout length is 5-¾"
- ► Flow rate is 3.7 GPM
- ► Available with metal cross handles (4603-MC) or metal lever handles in 2 different styles (4603-ML, 4603-ML2)
- ► Metal cross handles feature "H" and "C" for hot and cold
- ► Metal telephone style hand shower with cradle and hose
- ► Handshower flow rate is 2.5 GPM
- ► Handshower includes backflow preventer
- ▶6" Elbow mounts included
- ▶7" Centers for deck mounting on acrylic or cast iron tubs
- ▶ 1/4 Turn ceramic disc cartridges
- ► To be used with straight bath supplies, Part #5577

Finishes:

BP Polished Brass

PN Polished Nickel

CP Polished Chrome

ORB OilRubbedBronze

SN Brushed


Nickel



(ML)



(ML2)



Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

STRAIGHT BATH SUPPLIES

Cat.No. 5577





H: 24"

OD: 1/2"

Interior Dimensions:

Basin Interior: 13" x 11 7/8"

Basin Depth: 7 1/2"

Mount bolts height: 30"

Mount holes cc: 6"

Spout hole: 1 3/8"

Features:


- ▶ For use with faucets mounted to the tub deck
- ► No stops
- ► ½" Compression inlet
- ▶¾" Compression outlet
- ► Bottom flange 2-1/2" diameter
- ▶ 0.500" Outer diameter
- ▶ 0.400" Inner diameter
- ▶ 0.030" Thickness of the wall
- ► Available in 5 Finishes

Finishes:

CP Polished ChromeSN Brushed NickeBP Polished BrassORB Oil Rubbed BronzePN Polished Nickel

Compliance Certification

Meets or exceeds the following specifications: ASME-A112 (and 19.6M) for Vitreous china fixtures. ASME 112.19.9M for fire clay fixtures.



Use on concrete floors requires special installation. We recommend using a plumbing proffessional.

Dimensions and specifications subject to change without notice.

LEG TUB DRAIN

Cat. No. 5599






Escutcheon Height: 1-1/4"

Features:

- ► Brass Construction
- ► Twist-and-lift stopper
- ► Includes deep escutcheon
- ► Height adjustable 15"-18"
- ▶ Depth adjustable 12"-14"
- ► Includes deep escutcheon
- ► Available in 5 Finishes

Finishes:

CP Polished ChromeBP Polished BrassSN Brushed NickelPN Polished NickelORB Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.