

# T6030L TOPAZ<sup>™</sup> Fiberglass Bathtubs — Premier Left Hand Drain

#### SEE PAGES 2-4 FOR VARISTONE,<sup>™</sup> TOPAZ<sup>™</sup> & DURAWALL<sup>®</sup> BATHTUB WALLS AND ACCESSORIES



#### Design features:

- Precision molded using Mustee's premium VARISTONE® fiberglass
- Fits standard 30" x 60" alcove
- Apron supported by twin molded fiberglass brackets for extra stability
- A network of bottom and side structural support
- One-piece molded, with matched metal molds for high strength and integral rigidity
- 40° lumbar slope for relaxed reclining while soaking
- 8-1/2" x 14-1/4" drain offset
- Fits a wide range of finished wall options...
  - TOPAZ<sup>™</sup> and DURAWALL<sup>®</sup> premium fiberglass bathtub walls
  - DURAWALL® deluxe thermoplastic bathtub walls
  - Tile walls
  - Solid surface walls
- Easy to clean, colorfast white semi-gloss finish

## **Code Accepted**

TOPAZ<sup>™</sup> Fiberglass Bathtubs meet or exceed performance requirements as listed:


- International Association of Plumbing and Mechanical Officials (IAPMO)<sup>®</sup> Listed
- American National Standards Institute (ANSI) Specification ANSI Z 124-2011

# ANSI

## Specifications

Model No.	Color	HxWxL	Drain Position	UPC
T6030L	White	15 3/4" x 30" x 60"	LH	6 71031 00411 6
T6030LBN	Bone	15 3/4" x 30" x 60"	LH	6 71031 00414 7
T6030LBT	Biscuit	15 3/4" x 30" x 60"	LH	6 71031 00432 1

#### Inside depth: 14-1/4"



**General:** Furnish and install as shown on plans, TOPAZ<sup>®</sup> bathtub as manufactured by E.L. Mustee & Sons, Inc. Shall be a fiberglass 30" x 60: right hand or left hand Model \_\_\_\_\_\_. Construction shall be molded, reinforced fiberglass using matched metal molds under extreme heat and pressure. Shall meet ANSI Specification Z 124-2011. Color: \_\_\_\_\_\_ (White, Bone, Biscuit) Weight: 74 lbs. Install in compliance with local codes.





# Premium Fiberglass Bathtub Walls Adhesive & Direct to Studwall Mounted


Model

572TWHT

#### MORE ON PAGE 3




### 572T VARISTONE™



Up to 60" Wide by 34" Deep

572.300 VARISTONE<sup>™</sup> - SHELVES (OPTIONAL)



Model	Color
572.300	White
572.300BT	Biscuit

Color

White

Order desired number of shelves separately. Sturdy, adhesive mounted shelf is easy to install. Carton is  $12" \times 7\frac{1}{4}" \times 4"$  and weighs 2.5 lbs.











#### **350 DURAWALL**<sup>®</sup>




Model	Color	
350WHT	White	
350BN	Bone	
350BT	Biscuit	

Fits 30" x 60" Bathtub Caulking and adhesive provided

## 660 TOPAZ<sup>™</sup> PREMIUM FIBERGLASS BATHTUB WALLS



500 DURAWALL®



660WHT	White
660BN	Bone
660BT	Biscuit

Fits 30" x 60" Bathtub

500WHTWhite500BNBone

Fits 30" x 60" Bathtub



# **Deluxe Thermoplastic Walls Adhesive Mount**

MORE ON PAGE 4 ▶












557 DURAWALL®



**56 DURAWALL®** 




**53 DURAWALL®** 





950 DURAWALL®



557WHT White 557BN Bone

Fits 30" x 60" and 32" x 60" Bathtubs

Model	Color	
56WHT	White	
56BN	Bone	

Fit 42" x 72" Bathtub

53WHT White 53BN Bone

Fit 30" x 60" Bathtub

950WHT White

Fit 30" x 60" Bathtub





# TOPAZ<sup>™</sup> Fiberglass Bathtubs — Accessories

## GapSeal-Pro<sup>™</sup> — For all shower floors and bathtubs



Model No.	Description	UPC
60.320A	132" long x 2" tall	6 71031 00496 3

The flexible PVC GapSeal-Pro<sup>™</sup> features a strong adhesive strip that allows it to be easily positioned to "extend" the tile flange and effectively seal the gap between drywall or like-surfaces on shower floors or bathtubs. Patent pending.

