


Designer Collection Tubs

Kahlo 1





The tub features a round integrated overflow with direct toe tap drain connection directly above rough-in pipe. Numbered areas on tub deck represent possible locations to install cleaning systems, faucets and other fixtures. Shown with Air Massage and Ultra Whirlpool Package.



IMPORTANT ORDERING & INSTALLATION INFORMATION

- Before ordering or installing, please consider future access to equipment.
- · Add proper bedding compound to fully level and support bottom of tub.
- When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.

· Radiance placed on airbath floor will affect placement of air jets. · System components may extend beyond the perimeter of deck.

- Please measure tub on-site before building tub decking.
- · Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
- · Suction and control locations may vary.
- All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/ A326.3 coefficient of friction and AS HB198:2014 slip tests.

| Hydrotherapy Package | Components Included | GFCI / 110V | | |
|---|---|-------------|--|--|
| Standard Whirlpool | 2-bhp pump | 1-15 amp | | |
| Stream Bath | ½-bhp, ozone | 1-20 amp | | |
| Microbubbles | Microbubbles pump | 1-15 amp | | |
| Ultra Whirlpool | 2-bhp pump x 2, inline heater, ozone | 2-20 amp | | |
| Air Massage | heated blower | 1-15 amp | | |
| Air Massage Elite | heated blower, chromatherapy | 1-15 amp | | |
| Air Massage w/ Stream Bath | ½-bhp pump, heated blower, ozone | 1-20 amp | | |
| Air Massage Elite w/ Stream Bath | 1/2-bhp pump, heated blower, chromatherapy, ozone | 1-20 amp | | |
| Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information. CSA Certified C/US; B45.5/JAPMO ANSI Z124.1 and ANSI 112.19.7 | | | | |

ELECTRICAL COMPONENTS & SPECIFICATIONS

| Hydrotherapy Package | Components Included | GFCI / 110V | |
|-----------------------------------|--|-------------|--|
| Microbubbles with Air | Microbubbles pump, heated blower | 1-20 amp | |
| Microbubbles with Air Elite | Microbubbles pump, heated blower, chromatherapy | 2-15 amp | |
| Air with Whirlpool | Whirlpool 2-bhp pump, heated blower 2-15 arr | | |
| Air with Ultra Whirlpool | 2-bhp pump x 2, inline heater, heated blower, ozone | 2-20 amp | |
| Air Elite with Whirlpool | 2-bhp pump, heated blower, chromatherapy | 2-15 amp | |
| Air Elite with Ultra Whirlpool | 2-bhp pump x 2, inline heater, heated blower, chromatherapy, ozone | 2-20 amp | |

See the Installation & Operation Manual for more details MTI's Customer Service Monday-Friday 8am-6pm EST 800-783-8827 or service@mtibaths.com

Before discarding tub crate, check for accessories that may be packaged inside.
 All product measurements are ±1/2".
 Specifications and configurations are subject to change without notice.
 Measurements herein supersede all others published prior to publication date below.

Aromatherapy is eliminated for undermount applications

Air Baths, Pre-Leveled Foam Base or Frame Systems

increase overall height by 2-3".

Kahlo 1 MODEL 119 60" x 36.25" x 19.5"

| Hydrotherapy | Package Contents | Acrylic CXL [®] | | DoloMatte® | |
|--|--|--------------------------|----------|----------------|----------|
| Packages | | Part # | MSRP | Part # | MSRP |
| Soaker | Soaking bath - no jets | S119-DI | \$2,695 | S119DM-DI | \$3,235 |
| | | S119-UM | | S119DM-UM | |
| Stream Bath | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone | SM119-DI | \$4,985 | SM119DM-DI | \$5,525 |
| | | SM119-UM | | SM119DM-UM | |
| Microbubbles | 1 microbubbles infusion port and pump | M119-DI | \$5,685 | M119DM-DI | \$6,225 |
| | | M119-UM | | M119DM-UM | |
| | 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base | AST119-DI | \$5,980 | AST119DM-DI | \$6,520 |
| Air Massage | | AST119-UM | \$5,960 | AST119DM-UM | |
| Air Massage Elite | 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AE119-DI | \$7,690 | AE119DM-DI | \$8,230 |
| Air Massage Elite | | AE119-UM | | AE119DM-UM | |
| Stream Bath with | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated | ASTSM119-DI | \$7,820 | ASTSM119DM-DI | \$8,360 |
| Air Massage | air blower, Aromatherapy, pre-leveled foam base | ASTSM119-UM | \$7,820 | ASTSM119DM-UM | |
| Stream Bath with | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated | AESM119-DI | \$9,710 | AESM119DM-DI | \$10,250 |
| Air Massage Elite | air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AESM119-UM | | AESM119DM-UM | |
| Microbubbles with Air Massage | 1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base | ASTM119-DI | \$8,430 | ASTM119DM-DI | \$8,970 |
| | | ASTM119-UM | | ASTM119DM-UM | |
| Air Massage Elite | 1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AEM119-DI | \$10,050 | AEM119DM-DI | \$10,590 |
| | | AEM119-UM | | AEM119DM-UM | |
| Standard Whirlpool 6 | 6 point-massage jets, 2-bhp pump | P119-DI | \$4,825 | P119DM-DI | \$5,365 |
| | | P119-UM | | P119DM-UM | |
| 1.11. 14/1 - 1 | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp | P119U-DI | \$6,620 | P119UDM-DI | \$7,160 |
| | pumps, inline heater, Ozone | P119U-UM | | P119UDM-UM | |
| Air Massage with | 6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base | AW119-DI | \$8,110 | AW119DM-DI | \$8,650 |
| Standard Whirlpool | | AW119-UM | | AW119DM-UM | |
| Air Massage with Ultra Whirlpool | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base | AU119-DI | \$9,905 | AU119DM-DI | \$10,445 |
| | | AU119-UM | | AU119DM-UM | |
| Air Massage Elite with Standard Whirlpool | 6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AEAP119-DI | \$9,820 | AEAP119DM-DI | \$10,360 |
| | | AEAP119-UM | | AEAP119DM-UM | |
| Air Massage Elite with Ultra Whirlpool | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AEAP119U-DI | | AEAP119UDM-DI | \$11,345 |
| | | AEAP119U-UM | \$10,805 | AEAP119UDM-UM | |
| | | ALAP 1150-011 | | ALAP 1150DM-0W | |

RECOMMENDED SENSORY THERAPIES

Audiotherapy

(LE) **\$800** underwater lighting *2 LED lights included*

(STEREOBT) **\$1,390** 2 transducers with bluetooth and amplifier

(BTREMOTE) **\$600** bluetooth remote

(STEREOH202) **\$1,575** 4 transducers *amplifier not included*

Thermaltherapy

(RAD100) **\$1,595** Radiance® 2 heated zones included (HTISOAK) **\$825**



Chromatherapy

For more information on options and accessories go to Acrylic Tub Options at mtibaths.com

Kahlo 1 MODEL 119

| Options Must be ordered at time of purchase. | Hydrotherapy Equipment & Cleaning Systems | | |
|--|---|--|--|
| Standard Colors White (CWH) DoloMatte available in matte white only. Biscuit (CBS) Not available for DoloMatte. | Must be ordered at time of purchase. Inline Heater maintains water temperature For Whirlpools or Stream Bath (HTI) \$570 Uses existing pump | | |
| Quick Ship reduces lead time (QSPRI) \$430 Please call for availability | | | |
| Inline Heater maintains water temperature For Soaker or Air Baths (HTISOAK) \$825 Includes a recirculating pump Cannot be combined with Microbubbles. Virtual Spout high-flow integrated tub filler (FPMJ) \$450 | Cannot be combined with Microbubbles. Whirlpool Cleaning Systems Fill-Flush (FFSO) \$590 Simple Touch (FFE) \$1,020 Must specify stub-out location on order. See page 1 for location options. | | |
| Virtual Spout Ingli-Now Integrated tub Inter (TTMS) \$500 | Whirlpool Jets Pump upgrade may be advisable for optimal performance | | |
| Grab Bars from \$330 Selections vary. Personalization available. | when adding jets. Point-Massage Jet Extra Point-Massage Jet (EJ) \$315 | | |
| Textured Bottom (TXTBTM) Acrylic CXL® only \$105 DoloMatte® exceeds ANSI A137.1/A326.3 and AS HB198 slip tests. | Micro-Jet from \$360 Jet styles and packages vary. Personalization available. | | |
| Accessories | Pump Upgrade - 3-bhp (PUMP3) \$315 | | |
| Pillows from \$180 | Jet Trim Kits For Standard Whirlpool | | |
| Teak Bath Mat (TKMAT3018) \$815 Custom sizes also available. Contact MTI for details and pricing. | Chrome (TRC) \$270 , Brushed Nickel (TRBN) \$725 For Ultra Whirlpool | | |
| Teak Tub Tray | Chrome (TRCU) \$370, Brushed Nickel (TRBNU) \$960 | | |
| Slatted (TK-TRAY1) \$500 Solid (TK-TRAY2) \$570 | Ozonator (OZONE) \$515 Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOAK. | | |
| Installation Options Must be ordered at time of purchase. | | | |
| Pre-Leveled Foam Base (PLFOAM) \$295 All airbaths include a pre-leveled foam base | Tile Flange Factory-Installed on 3 sides - rigid ABS_(TEK3) \$200 | | |

All airbaths include a pre-leveled foam base. **Pre-Leveled Frame and Foam Base** (PLF) **\$740 Pre-Leveled Frame and Foam Base with Skirting** (Acrylic CXL[®] tubs only)

For pricing and details go to mtibaths.com

Drains & Overflow Kits Must be ordered at time of purchase

Integrated Toe Tap Slotted Overflow

PVC drain - Chrome (SLOTIOC) included Finish Upcharge

Brushed Nickel (SLOTIOBNU) +**\$65** Polished Nickel (SLOTIOPNU) +**\$105** White (SLOTIOWHU) +**\$65**

Round Overflow

Chrome (RIOBC) may substitute slotted overflow

Finish Upcharge Brushed Nickel (RIOBN) +**\$120** Polished Nickel (RIOPN) +**\$120** White (RIOWH) +**\$120** Factory-Installed on 3 sides - rigid ABS (TFK3) **\$200** Field Install Kit - includes rigid ABS & adhesive (TFKNI) **\$185** IMPORTANT: Must specify flange location(s) on order of Factory-Installed Flange. Not available with optional Low-Profile Rim.

